

**HyperSep solid phase extraction products offer reproducible and reliable sample preparation in a traditional format. Products are available for use in biological, pharmaceutical, forensic and environmental applications.**

## HyperSep SPE

Solid phase extraction columns, 96-well plates and accessories



### HyperSep SPE

HyperSep™ solid phase extraction columns offer reproducible and reliable sample preparation in a traditional format. The polypropylene columns are chemically resistant. Two polyethylene frits are used to support the sorbent bed within the column. The columns are ideal for large samples and conform to industry standard configurations. HyperSep columns are available in a range of bed weights to suit a wide range of applications. Samples can be processed through the columns by vacuum, by positive pressure or by centrifugation.

The HyperSep-96™ system incorporates traditional solid phase extraction sorbents into 96-well plate format providing fast analysis without sacrificing accuracy or reproducibility. The innovative design of HyperSep-96 well plates provides flexibility

for both method development and scale adjustment to 96-well without method revalidation. Well plates are customizable, allowing any arrangement of wells with differing sorbent chemistries for simultaneous processing. HyperSep-96 products are either available in packs of 100 individual wells or in pre-assembled plates.

### HyperSep-96 Accessories

HyperSep-96 accessories are available to compliment the range of HyperSep-96 well plates. The accessories ensure that method development is carried out efficiently and without re-validation

The range includes the Universal Vacuum Manifold, which is compatible with both HyperSep SPE columns and HyperSep-96 well plates.



## HyperSep SPE

Sorbent	Phase Description	Mean Particle Size (µm)	Mean Pore Size (Å)	Endcapped	Primary Retention Mechanisms
<b>Hypercarb™</b>	100% porous graphitic carbon, stable across the entire pH range and at elevated temperature	30	250	N/A	Hydrophobic reversed phase, Normal phase adsorption, polar (PREG)
<b>C18</b>	Trifunctional octadecyl	40 - 60	60	No	Hydrophobic reversed phase
<b>C8</b>	Trifunctional octyl	40 - 60	60	No	Hydrophobic reversed phase
<b>Phenyl</b>	Trifunctional phenyl	40 - 60	60	No	Hydrophobic reversed phase
<b>Silica</b>	Unbonded activated silica	40 - 60	60	No	Hydrophilic normal phase
<b>SAX</b>	Trifunctional quaternary amine, 0.25 mEq/g, Cl <sup>-</sup> counter ion	40 - 60	60	No	Anion exchange
<b>SCX</b>	Trifunctional benzene sulfonic acid, 0.32 mEq/g, H <sup>+</sup> counter ion	40 - 60	60	No	Cation exchange
<b>Verify™-CX</b>	Mixed mode, containing C8 and benzenesulfonic acid	40 - 60	60	No	Cation exchange, non-polar
<b>Verify™-AX</b>	Mixed mode, containing C8 and quaternary amine	40 - 60	60	No	Anion exchange, non-polar
<b>Florisil™</b>	Florisil	40 - 60	N/A	No	Hydrophilic normal phase
<b>Aminopropyl</b>	Trifunctional aminopropyl, 0.31 mEq/g	40 - 60	60	No	Normal phase, anion exchange

For a complete listing of HyperSep products, visit [www.thermo.com/columns](http://www.thermo.com/columns).



The Universal Vacuum Manifold is compatible with both HyperSep SPE columns and HyperSep-96 well plates

## HyperSep-96 Accessories

Description	Quantity	Part Number
Base plate, single	1	60300-302
Base plate, pack	5	60300-303
Sample collection plate, 1 mL	50	60300-402
Sample collection plate, 2 mL	50	60300-403
Luer adaptors for well outlet	25	60300-323
Well removing tool	1	60300-310
Base plate plugs, strips of 8	50	60300-313
Empty wells, 1 mL	100	60300-318
Empty fritted wells, 1 mL	100	60300-311
Insert for Porvair™ manifold	1	60300-320
HyperSep-96 vacuum manifold	1	60103-351
Universal vacuum manifold	1	60104-230
Well sealing caps	50	60300-317

For technical tips and applications visit the **Chromatography Resource Center** at [www.thermo.com/columns](http://www.thermo.com/columns)

©2006 Thermo Fisher Scientific Inc. All rights reserved. Florisil is a trademark of Floridin Company. Porvair is a trademark of Porvair plc. All other trademarks are the property of Thermo Fisher Scientific Inc. and its subsidiaries. Specifications, terms and pricing are subject to change. Not all products are available in all countries. Please consult your local sales representative for details.



Thermo Electron Corporation, Bellefonte, PA is ISO Certified.  
Thermo Hypersil Ltd., Runcorn, UK is ISO Certified.

PS20348\_E 12/06M

**Australia** +61 2 8844 9500  
**Austria** +43 1 333 50340  
**Belgium** +32 2 482 30 30  
**Canada** +1 800 532 4752  
**China** +86 10 5850 3588  
**Denmark** +45 70 23 62 60

**France** +33 1 60 92 48 00  
**Germany** +49 6103 408 1014  
**India** +91 22 6742 9434  
**Italy** +39 02 950 591  
**Japan** +81 45 453 9100  
**Latin America** +1 608 276 5659

**Netherlands** +31 76 587 98 88  
**South Africa** +27 11 570 1840  
**Spain** +34 91 657 4930  
**Sweden/Norway/Finland**  
+46 8 556 468 00  
**Switzerland** +41 61 48784 00

**UK** +44 1442 233555  
**USA** +1 800 532 4752

[www.thermo.com](http://www.thermo.com)

**Thermo**  
SCIENTIFIC